

BrilloRex™
POWERED BY MARUTI NANDAN
Amazon's Choice
Seller
&
Manufacturer

1. SS 304 Sprinkler 5-10 LPM 30 Yr. + Rust Free Promise



Amazon's Choice

- **Spray Angle:** 180°
- **Effective Coverage Width:** 2300 mm
- **Sprinkler Requirement:** 1 sprinkler per solar panel
- **Operating Pressure:** Minimum required pressure: 1–1.2 bar
- **Water Discharge (Per Sprinkler):**
  Minimum: 5 LPM
  Maximum: 10 LPM
- **Material of Construction (MOC):** SS 304
- **Thread Size & Type:** 1/2” Male Thread
- **Sprinkler Dimensions:** Outer Diameter (OD): 22 mm, Length: 16 mm
- **Spray Type:** Flat Spray
- **Note:** Sprinkler is supplied without in-built filter. Filtration, if required, to be arranged at system level.
- **Recommended Pipe Size:** 1/2” UPVC
- **Total Flow Capacity (Per Line):** 25–40 LPM
- As per the above flow capacity, 4 to 5 sprinklers can be installed in a single line while maintaining uniform pressure and spray performance.
- **Nozzles per kW:** As per panel layout, 1 sprinkler per panel is sufficient
- **Pump Selection:** Pump flow rate and head shall be finalized based on total number of sprinklers
- **Automation:** Compatible with timer-based automatic starter / controller





Life Time Rust Free






BrilloRex™
POWERED BY MARUTI NANDAN

SS 304 Sprinkler 5-10 LPM



BrilloRex™
POWERED BY MARUTI NANDAN



- **Spray Angle:** 180°
- **Effective Coverage Width:** 2300 mm
- **Sprinkler Requirement:** 1 sprinkler per solar panel
- **Operating Pressure:** Minimum required pressure: 1–1.2 bar
- **Water Discharge (Per Sprinkler):**
  Minimum: 5 LPM
  Maximum: 10 LPM
- **Material of Construction (MOC):** SS 304
- **Thread Size & Type:** 1/2” Male Thread
- **Sprinkler Dimensions:** Outer Diameter (OD): 22 mm, Length: 16 mm
- **Spray Type:** Flat Spray
- **Note:** Sprinkler is supplied without in-built filter. Filtration, if required, to be arranged at system level.

- **Recommended Pipe Size:** 1/2” UPVC
- **Total Flow Capacity (Per Line):** 25–40 LPM
- As per the above flow capacity, 4 to 5 sprinklers can be installed in a single line while maintaining uniform pressure and spray performance.

- **Nozzles per kW:** As per panel layout, 1 sprinkler per panel is sufficient
- **Pump Selection:** Pump flow rate and head shall be finalized based on total number of sprinklers
- **Automation:** Compatible with timer-based automatic starter / controller

SS 304 Solar water Drain clip

Amazon's Choice

BrilloRex™
POWERED BY MARUTI NANDAN



2. SS 304 Extra water Drain clamp 30 Yr. + Rust free (30/33/35/40mm)



- Made from high-grade SS 304 stainless steel for superior strength
- Lifetime rust-free performance, ideal for outdoor solar installations
- Ensures extra water drainage, preventing water accumulation on panels
- Strong grip design for firm and vibration-free fitting
- Precision engineered for long service life and reliable performance
- Backed by a 30-year guarantee for peace of mind

Solar Panel Drain Clamp is a premium-quality solution designed to efficiently remove excess water from solar panels after cleaning or rainfall. Built with 100% pure SS304 stainless steel, this clamp ensures long-lasting durability, superior performance, and enhanced solar panel efficiency.

- 🔧 **Product Specifications**

Material: Pure SS304 Stainless Steel
Finish: Corrosion-resistant polished surface
Build Quality: Heavy-duty, industrial-grade
Installation: Easy clamp-on design (no complex tools required)
Compatibility: Suitable for most solar panel frames

- ✅ **Benefits of Using Drain Clamp**

⚡ **1. Increases Power Generation**

- Removes water stagnation on panels, Prevents dust + water layer formation, Ensures maximum sunlight absorption

👉 Result: Higher electricity output

🔋 **2. Improves Solar Panel Efficiency**

Clean and dry surface improves energy conversion
👉 Result: Better system performance daily

⏳ **3. Extends Solar Panel Life**

Prevents long-term water damage
Reduces chances of corrosion and frame damage
👉 Result: Longer lifespan of solar panels

🧼 **4. Faster Drying After Cleaning**

Helps water flow out instantly
👉 Result: No water marks or stains

💰 **5. Cost Saving**

Reduces maintenance and repair cost
👉 Result: Higher ROI on solar investment

❌ What Happens If You DO NOT Use Drain Clamp?
❌ Water remains on panel edges
❌ Dust + water creates sticky dirt layer
❌ Reduced sunlight penetration
❌ Power generation drops by 5%–15% (approx.)
❌ Increased chances of: Corrosion Frame damage Hotspots (due to uneven drying)
❌ Solar panel life may reduce by 2–5 years

BrilloRex
POWERED BY MARUTI NANDAN



Amazon's Choice

For 30,33,35 & 40mm Solar panel Frames

Made in India

1 Model B-1

Model Year. 2024. Hard metal. Non flexible, Pure SS 304. Sutable for all Size Solar Eg:30,33,35&40mm

BhilRex™
TI NANDAN




For 30 & 35mm Solar panel Frames

Made in India

2 Model B-1 Pro

Model Year. 2026. Soft metal. Semi flexible, Pure SS 304. Not Suitable for all Size Solar Eg: Only for 30 & 35 mm

3. Pipe support clamp Galvenize Materia Rust Free



- Made from high-quality galvanized steel for long-lasting outdoor use
- Rust-free & corrosion-resistant, ideal for solar panel installations
- Designed to provide strong support for solar panel cleaning pipes
- Adjustable slotted design allows easy alignment and firm fitting
- Heavy-duty construction ensures high load capacity and stability
- Suitable for rooftop, ground-mounted & industrial solar systems
- Easy to install and low maintenance

4. Solar panel cleaning plastic sprinkler



Black Naylon sprinkler 180' Flow

5 Yr Guarantee



180' Flow plastic sprinkler



½ Threded T



Plastic drain clamp (30/33/35/40mm)

BrilloRex™
POWERED BY MARUTI NANDAN

5. Solar panel cleaning 2 in 1 Brush (Yellow) 3, 4 & 6 Meter legnth



- 2-in-1 cleaning design – soft brush for dust removal & rubber wiper for water wiping
- Specially designed to clean solar panels safely without scratches
- Available in 3 meter, 4 meter & 6 meter lengths for easy reach of rooftop panels
- Lightweight yet strong pole for comfortable long-time use
- Soft microfiber brush ensures effective cleaning without damaging glass surface
- High-quality rubber wiper helps remove water quickly & prevent water marks
- Easy to assemble and dismantle for convenient storage & transport
- Suitable for rooftop, commercial & large solar power plants

6. Solar panel cleaning water feeding Brush Aluminum pole (Blue)

- In-built water feeding system for continuous water flow while cleaning
- High-quality blue soft bristles designed to remove dust, mud & bird droppings safely
- Scratch-free cleaning, safe for all types of solar panel glass
- Long extendable pole for easy rooftop and elevated panel cleaning
- Available in 3 meter, 4 meter & 6 meter sizes to suit different installation heights
- Reduces manual effort and saves water by direct controlled flow
- Lightweight yet sturdy construction for comfortable handling
- Ideal for residential, commercial & solar power plant use



Unlock Peak Performance For Your Solar Assets.

Customers Most Commen Feedback
“Our solar output increased by 30% after switching to BrilloRex cleaning solutions.”
— Leading Solar Farm Operator

BrilloRex™
POWERED BY MARUTI NANDAN



Available at
amazon

Contect Us: +91 77790 54901 / 94846 93151